

VEZOS

Think different. Think strong!

design · production · distribution





Handysand History

First presentation 2006

VEZOS began manufacturing drywall sanders in 2004, and gained the know-how of the markets needs. In 2006, the Handysand Auto drywall sander was presented, changing the sanding industry forever.

For the first time, contractors were able to sand walls and ceiling without lifting the weight of the actual sander. How? Due to VEZOS exclusive ARS technology, allowing the sander to grip to the surface and its users to simply drive the tool. This revolution by VEZOS was simply the beginning for a new era for the sanding industry.

In 2007 VEZOS and the Handysand Auto 150 drywall sander, won the French international prize of "Best Innovative Product Of The Year".

Over the years, VEZOS has continued to develop the Handysand drywall sander range, offering always innovative solutions and technology to its users.

Applications

Handysand Series

- ⇒ Drywall
- ⇒ Renovations
- ⇒ Texture
- ⇒ Stucco
- ⇒ Popcorn removing
- ⇒ Paint
- ⇒ Plaster
- ⇒ Wooden floors

concept
TRANSFORM

E
A
S E T U P
Y

Accessories Handysand

No tools needed to connect the VEZOS Handysand accessories, choose between a wide range of handles, soft grips, main & retractable extensions, vacuum connectors for all collector brands, vacuum hoses 32 & 38 mm, abrasive pads, sanding disks ...



Auto Regulated Suction

VEZOS A.R.S. Technology

VEZOS Auto Regulated Suction (A.R.S. Technology), is active on all the Handysand editions, this system, allows the sander to "hang to the ceiling". An automatic valve regulates the necessary suction force need per surface. With this innovative technology the Handysand drywall sanders, grip to the surface and the entire sanding procedure becomes tireless, fast and cost effective.

Innovative Solutions

No scaffold needed!





Multi Set-Up Sander

Handysand Combo Line

A multi set up wall & ceiling sander, transforming the length and working height from a compact version to a 7+ meter working height tool. Avoid scaffolding cost by simply attaching main extensions! Original Self Gripping effect **A.R.S.** technology active.



Handysand Highlights

Unique features

- Auto Regulated Suction
- **7 meters working height**
- Transform concept
- **750 watt powerful motor**
- Retractable extensions
- **Multi set up design**
- Original suction effect
- **Dustless sanding**
- Award winning products
- **97cm compact version**
- Aluminum body
- **Soft grips**
- Wide range of abrasives
- **Rotating head**
- Adjustable suction
- **Vacuum connectors**
- Easy setup
- **Best weight/power ratio**



One Piece Sander

Handysand Basic Line

One piece sander, with an automatic and active A.R.S. gripping effect for easy sanding. Simply drive the Handysand basic, instead of lifting the weight of the sander. Perfect for drywall, texture, paint & plaster surfaces. « **Best Innovative Product Prize** »



VEZOS Innovations

Drywall manufacturer leaders

VEZOS began manufacturing drywall sanders, in 2004, offering the sanding industry, new & unique methods of sanding. Over the years the VEZOS drywall sanding division has evolved, making sure that each product is unique and provides to the market new innovative solutions, resulting to an easier method of sanding.



Self-Gripping Sanding

Main Extensions

Handysand Combo

Fully aluminum main extensions, 65 cm length can be easily adapted to the HS Combo sanders. Extend the length of the sander by adding up to six main extensions, transforming the sander to a seven meter working height tool!

Powerful 750 watt motor

Handysand Combo / Basic

Equipped with a powerful 750 watt motor (220/110 volt), VEZOS Handysand models are up to any task.
- variable speed 1-6 adjustment



Retractable Extensions

Handysand Combo / Basic

A hidden away telescopic extension, 45 cm length, can prove necessary when you are looking for that extra boost in height. Extremely handy when sanding narrow spaces or high ceilings.

Pressure Adjustment

Handysand Combo

On the sanding head of the unit, a pressure adjustment knob ensures that sanding suction is appropriate per application. Simply adjust the pressure to wall or ceiling position and gain the best gripping effect per surface.

Features

Handysand Combo

- ⇒ Multi Set Up
- ⇒ Auto Regulated Suction
- ⇒ Extreme Sanding Height
- ⇒ Instant Length Boost
- ⇒ Auto Regulated Suction
- ⇒ Dustless Sanding



Safety Grips

Handysand Combo / Basic

Soft grips are located on the Handysand extensions, allowing users to get a firm grip of the sander.

Vacuum Connectors


Handysand Combo / Basic

VEZOS sanders, adapt to all branded professional dust collectors. Each model is delivered with special connectors allowing users to use their own vacuum, instead of increasing the cost of purchase with a new dust collect.

* recommended - self cleaning filter dust collectors



■ Tool Height ■ Working Height



Grip on Handles

Handysand Combo / Basic

For the best balance and hold of the drywall sander, adapt a grip-on handle on any part of the main body or main extension of the Handysand sanders.

Secure Connections

Handysand Combo


Transforming the Handysand Combo sander from a 97cm sander to a long neck sander by adding extensions. All extensions can be fitted easily without any tools and offer a secure lock for safety reasons.

HD Suction Hose

Handysand Combo / Basic

Heat resistant & durable, VEZOS heavy duty suction hose will last for years.

3 layered flexible outer casing & flexible shaft are safety tucked away in the suction hose, avoiding brakeage and often job downtimes.



Working Height - Tool Length

Handysand Combo Line

Each job site is unique. Narrow hallways, high ceilings and tall outdoor walls are a few of the potential surfaces that a contractor needs to sand down. The working height of each task differs, so VEZOS Handysand allows you to adjust the tool per requested working height. VEZOS sanders, provide their users with uncountable set ups, saving cost, time and increasing the profit per job.



Multi Set-Up Handysand Combo Line

Working height chart

Adjust the length of the Handysand Combo sander and gain the desirable working height depending on the jobs requirements. Mix & match extension in order to reach the best working height. No tools needed for the connections.

VEZOS main & retractable extensions are manufactured out of aluminum, for long life durability. Connect a grip-on handle for better balance & grip of the sander.

Tool set up length	Working Height	Sanding Attachment	Motor Attachment	Main Extension 65cm	Telescopic ext. 45cm
97cm	217cm	★	★		
142cm	262cm	★	★		★
162cm	282cm	★	★	★	
207cm	327cm	★	★	★	★
227cm	347cm	★	★	★ ★	
272cm	392cm	★	★	★ ★	★
292cm	412cm	★	★	★ ★ ★	
337cm	457cm	★	★	★ ★ ★	★
357cm	477cm	★	★	★ ★ ★ ★	
402cm	522cm	★	★	★ ★ ★ ★	★
422cm	542cm	★	★	★ ★ ★ ★ ★	
467cm	587cm	★	★	★ ★ ★ ★ ★	★



Abrasive Velcro Disks

Grit size

Choose between a wide range of grit sized abrasive Velcro disks, designed especially for VEZOS Handysand range.

P40-P220 sizes





Handysand Combo Self Gripping Wall And Ceiling Sander

Part number	23.5111101	23.5011201	23.5011200	23.5011300	23.5011101
Handysand edition	Combo XXL	Combo Smart	Combo Bare	Combo Smart L	Combo XL
Sander line	Combo line	Combo line	Combo line	Combo line	Combo line
Sanding type	A.R.S self grip	A.R.S self grip	A.R.S self grip	A.R.S self grip	A.R.S self grip
Rated power	750 watt	750 watt	750 watt	750 watt	750 watt
Voltage	220/110 vlt	220/110 vlt	220/110 vlt	220/110 vlt	220/110 vlt
Speed r.p.m	550-1350	550-1350	550-1350	550-1350	550-1350
Drive cable	8mm	8mm	8mm	8mm	8mm
Power cable	5m	5m	5m	5m	5m
Weight no extension	4.2 kg	4.2 kg	4.2 kg	4.2 kg	4.2 kg
Weight 2 extension	5.7 kg	4.9 kg	4.9 kg	4.9 kg	5.7 kg
Overall length	272 cm	207 cm	162 cm	227 cm	272 cm
Working height	392 cm	327 cm	282 cm	347 cm	392 cm

Handysand Combo

Ordering options

EXCLUSIVE

Choose between the Handysand drywall sander models, depending on the maximum working height for the sanding jobs that you usually take on. But don't worry, if in the future you feel like you need a boost in height for those extra high ceiling jobs, all combo line sanders, can take extra extensions. For example if you choose the Handysand Combo bare p/n 23.5011200 that includes one main extension, you can always add on an extra six main extension in the future allowing the sander to reach an amazing 7 meters working height!!

* Handysand Basic line sanders do not take VEZOS main extensions 65cm, only a retractable 45cm extension.



Handysand Basic Self Gripping Wall And Ceiling Sander *

Part number	23.6001102	23.6001104	23.6001103	23.6011001
Handysand edition	Basic XXL	Basic Transport	Basic Smart	Basic Bare
Sander line	Basic line	Basic line	Basic line	Basic line
Sanding type	A.R.S self grip	A.R.S self grip	A.R.S self grip	A.R.S self grip
Rated power	750 watt	750 watt	750 watt	750 watt
Voltage	220/110 vlt	220/110 vlt	220/110 vlt	220/110 vlt
Speed r.p.m	550-1350	550-1350	550-1350	550-1350
Drive cable	8mm	8mm	8mm	8mm
Power cable	5m	5m	5m	5m
Weight	4.8 kg	4.8 kg	4.8 kg	4.8 kg
Overall length	208 cm	163 cm	208 cm	163 cm
Working height	328 cm	283 cm	328 cm	283 cm



Think different. Think strong!

"...VEZOS motto is focused on our brand's products and innovation, by offering the market a different and innovative solution with each product designed and manufactured by our team. Innovation is VEZOS aim; each product has been carefully evaluated in order to offer its users and the market a new technology and a new invention. We think different to the competition, we think out of the box and that is why the VEZOS products have changed the industry's mentality over the years. Sanding with a gripping effect, achieving amazing working heights, tunnel cooling hydraulic systems, upright & compact airless designs are only a few of VEZOS innovations that are included in our portfolio. We think different, we think strong, as any product that we present to the market becomes a lifelong partner to its user..."

- Dimitris Vezos, Inventor



www.vezos.co.uk